

"WB" Profile

System Dimension Table														
Model Number	Total Movement		Groove Width "A"				Min. Install Width		Groove Depth "B"		Width		Height	
	inches	mm	inches	mm	inches	mm	inches	mm	inches	mm	inches	mm	inches	mm
WB-437	.207	5	.153	4	.360	9	.250	6	1.000	25	.438	11	.563	14
WB-687	.310	8	.240	6	.550	14	.375	10	1.250	32	.688	17	.688	17
WB-812	.365	9	.284	7	.650	17	.438	11	1.500	38	.813	21	.875	22
WB-1000	.450	11	.350	9	.800	20	.500	13	1.750	44	1.000	25	1.125	29
WB-1250	.563	14	.437	11	1.000	25	.625	16	2.000	51	1.250	32	1.125	29

Material complies with ASTM D2628 and AASHTO M220


Design Features

- Cost effective solutions for sealing concrete pavements on highway & airport runways
- Over 30 year history of success
- Highly resistant to deterioration from exposure, oil and impact.

Pavement Series

Wabo®Compression Series

Model: WB



Watson Bowman Acme Corp.
95 Pineview Drive Amherst, NY 14228
phone: (716) 691-7566 fax: (716) 691-9239
www.wbacorp.com



Information provided herein, including but not limited to, any drawing, design, photograph, graphic, or statement(s) ("Materials") are proprietary and the property of Watson Bowman Acme Corporation ("Company"). Reproduction, translation, or reduction to any electronic medium or machine readable form, in whole or part, is strictly prohibited, except for the express purpose for which it has been furnished, without prior written consent of Company. All Materials contained herein are provided by Company for information purposes only. Company reserves the right to amend or withdraw any information contained in the Materials without notice. All technical or other advice by Company, whether verbal or written, concerning products, or the use of products in specific situations ("Advice") is given by Company and is used at the Users own risk.

DETAILED BY: CTW	DATE: 10/12/00
CHECKED BY: WBA	CURRENT ISSUE: 3/20/15
SHEET NO: 1	DRAWING NO: C - 20514